Table of Contents — 1990

February 1990

Articles

Three-Dimensional Turbulent Flow in Agitated Vessels with a Nonisotropic Viscosity Turbulence Model • *S. Y. Ju, T. M. Mulvahill and R. W. Pike* 3

Experimental Investigation of Some Hydrodynamic Factors Affecting Slurry Pipeline Wall Erosion • *C. A. Shook, M. McKibben and M. Small* 17

Rheology of Oil in Water Emulsions with Added Solids • *Rajinder Pal and Jacob Masliyah* 24

Explicit Forms for the Calculation of Heat and Momentum Transfer Coefficients for Vapour Condensation on Surfaces of Various Forms • *Marcio L. de Souza–Santos* 29

Natural Convection from a Radiating Fin to Thermally Stratified Medium of Air • *P. K. Sarma, T. Subrahmanyam and V. Dharma Rao* 38

Mass Transfer in External–Loop Airlift Bioreactors Using Static Mixers • *Yusuf Chisti, Michael Kasper and Murray Moo-Young* 45

Mathematical Modeling of the Elutriation of Fine Materials from Rotary Kilns • *E. N. Tackie, A. P. Watkinson and J. K. Brimacombe* 51

Rotary Cylinders: Solid Transport Prediction by Dimensional and Rheological Analysis • *J. Perron and R. T. Bui* 61

Factors Affecting Cake Resistance in Non-Newtonian Filtration • *W. Kozicki* 69

A New Experimental Method to Specify the Diffusing Component in a Reacting Particulate Packing • *Yu-Jun Hao and Tatsuo Tanaka* 81

Modelling of Butene-1 Dehydrogenation in a Fixed Bed Reactor – Bed and Pellet Profiles • *D. R. Acharya and R. Hughes* 89

Synthese du Furyl-2 Oxiranne en Milieu Hétérogène Solide–Liquide Faiblement Hydrate: Determination du Régime de Production, Expression de la Loi Cinétique • *Samuel Rakotondramanana, Elisabeth Borredon et Jacques Molinier* 97

Separation of Kinetics and Mass–Transfer in a Batch Alkoxylation Reaction • *C. A. Hall and P. K. Agrawal* 104

High Yield Production of Microcrystalline Cellulose by a Thermo-Mechano-Solvolytic Treatment • *G. Garnier, J. Bouchard, R. P. Overend, E. Chornet, and P. F. Vidal* 113

A Multiobjective Approach to the Structuring of an Efficient System for Producing Petrochemicals from Alternative Raw Materials • *Milorad Sokić, Sonja Zdravković and Zoran Trifunović* 119

Dynamics of Adsorptive Reactors. 1. Instantaneous Nonlinear Adsorption and Finite Zero Order Irreversible Reaction • *José Loureiro, Carlos Costa and Alirio Rodrigues* 127

Set-Point Optimization of an Adiabatic Trickle-Bed Reactor System • *Yung-Cheng Chao, Jyh-Shyong Chang and Hsiao-Ping Huang* 139

The Phase Behaviour of the Propane–Water System: A Review • *A. Harmens and E. Dendy Sloan* 151

Notes

Bubble Size Distribution in Bubble Columns • *A. C. Saxena, N. S. Rao and S. C. Saxena* 159

Effect of a Row of Cylindrical Obstructions on Mass Transfer in Creeping Flow in a Plate-Type Membrane Separator • *Kosaku Ishimi, Sadatoshi Koroyasu, Haruo Ishikawa and Haruo Hikita* 162

Approximate Solutions of Effectiveness Factor Based on Bulk Conditions • *S. Goto and H. Ito* 167

Contents Page from Chemical Engineering Research and Design 170

On The Representation of Pure-Compound Saturated ($Z_V - Z_L$) Values • *H. Sugie, Y. Iwahori and B. C.-Y. Lu* 171

Book Review 174

Call for Papers 1991 175

April 1990

Articles

Characteristics of Circulating Vortex in the Through-Flow Between Two Concentric Rotating Spheres • *K. Nakabayashi and Y. Tsuchida* 177

A Numerical Solution for the Dispersion in Laminar Flow Through a Circular Tube • *Teruo Takahashi, Takashi Korenaga and Fenghua Shen* 191

Air Entrainment and Dynamic Contact Angles in Hydrodynamics of Liquid Coating • *M. N. Esmail and M. T. Ghannam* 197

Porous Gas Distributors in Bubble Columns. Effect of Liquid Presence on Distributor Pressure Drop. Effect of Start-up Procedure on Distributor Performance • *A. Prakash and C. L. Briens* 204

Experimental Measurements of Local Axial Gas Velocity and Void Fraction in Simulated PWR Steam Generator Rod Bundles • *S. F. Moujaes and R. S. Dougall* 211

Écoulements et Transferts de Chaleur dans les Échangeurs à Plaques Traitant des Produits Visqueux Newtoniens et Pseudoplastiques. 1. Modélisation des variations du diamètre hydraulique • *Jean-Claude Leuliet, Jean-François Maingonnat et Marc Lalande* 220

Extended Fourier Series Solutions for Diffusion Problems with Irregularly Shaped Boundaries and Mixed Boundary Conditions • *Douglas Ruth* 230

Mass Transfer in a Trickle-Bed Column Packed with a Mixture of Hydrophobic and Hydrophilic Spheres • *H. A. Rangwala, F. D. Otto, S. E. Wanke and K. T. Chuang* 237

Natural Convection in Liquid Encapsulated Czochralski Growth of Gallium Arsenide • *P. Sabhapathy and M. E. Salcudean* 243

Continuous Crystallization of Potash Alum: MSMPR Kinetics • *A. G. Jones and J. Mydlarz* 250

Control of Crystal Size Distribution in a Batch Cooling Crystallizer • *Sohrab Rohani, N. S. Tavare and John Garside* 260

Adsorptive Separation of *Kr* from N_2-Part II. Development of a Pilot Unit • *F. H. Tezel, D. M. Ruthven, H. A. Boniface and T. S. Sridhar* 268

Mixing Time of Liquid in Horizontal Stirred Vessels with Multiple Impellers • *K. Ando, E. Obata, K. Ikeda and T. Fukuda* 278

Linearization of Diffusion Equations with Chemical Reaction: Generalization of Hikita-Asai Approximation • *S. Asai* 284

Reaction Kinetics Over Iron Catalysts Used for the Fischer–Tropsch Synthesis • *William H. Zimmerman and Dragomir B. Bukur* 292

Hydrodynamic and Thermal Modelling of a High Temperature Spouted Bed Reactor With a Draft Tube • *Rudolf K. Stocker, John H. Eng and Leo A. Behie* 302

Catalytic Pyrolysis of Almond Shells: Influence of Temperature and $CoCl_2$ to Almond Shell Ratio • *R. Font, A. Marcilla, E. Verdú and J. Devesa* 312

Hydrolysis of Carbonyl Sulfide: Comparison to Reactions of Isocyanates • *William R. Ernst, Michael S. K. Chen and David L. Mitchell* 319

Notes

Chemical Enhancement in the Determination of $K_L a$ by the Sulfite Oxidation Method • *Jules Thibault, Anh LeDuy and Alain Denis* 324
A Model for Trickle Bed Reactors in View of Changing Gas Velocity • *H. Lekshmi–Narayanan, Chin–Min Pan, Patricia M. Haure and R. R. Hudgins* 327
The Effect of the Level of Micromixing on the Optimal Design of CSTR's Performing Michaëlis–Menten Reactions • *F. Xavier Malcata* 330
On Structural Changes of Lignite Char During Fluidised Bed Combustion • *S. Halder and R. K. Saha* 337
The Role of Hydrogen in Coal Particle Desintegration at Elevated Temperatures • *Robert A. Pozzobon, J. M. Shaw and Sun Yushun* 340
pH and Conductivity of Concentrated Aqueous Sodium Sulfide/Sodium Carbonate Solutions Undergoing Carbonation • *Jack C. Norman, Nancy J. Sell and John A. Ciriacks* 346

Errata 348

Book Reviews 349

Sommaire de la politique d'utilisation des unités SI . . 351

Contents Page from Chemical Engineering Research and Design 352

June 1990

Articles

Particle Slip Velocities in Air Jets Under Atmospheric Pressure and Soft Vacuum Conditions • *Murray S. Bronet and Maher I. Boulos* 353
Natural Convection Heat Transfer Enhancement through Latent Heat Transport in Vertical Parallel Plate Channel Flows • *W. M. Yan and T. F. Lin* 360
Gas–Liquid Mass Transfer in a Three–Phase Fluidized Bed with Floating Bubble Breakers • *Jong O. Kim and Sang D. Kim* 368
Recovery of Fatty Acids by Immobilized Solvent Extraction • *Isaac Lau and Gordon Hayward* 376
Performance of Combined Mesh Packing and Sieve Tray in Distillation • *G. X. Chen, A. Afacan, C. Xu and K. T. Chuang* 382
In-Situ Cleaning of Packings in Water Distillation Column With a Surfactant • *K. T. Chuang and R. P. Sutherland* 387
Effect on Surface Charges of Bubbles and Fine Particles on Air Flotation Process • *Kenji Okada, Yasuharu Akagi, Masahiko Kogure and Naoya Yoshioka* 393
Scale-up of Liquid–Liquid Distribution in Stirred Tanks • *S. Okufi, E. S. Perez de Ortiz and H. Sawistowski* . . 400
Drop Behaviour in a Kühni Column for a Low Interfacial Tension System • *Christophe Haunold, Michel Cabassud, Christophe Gourdon and Gilbert Casamatta* 407
The Effect of the Droplet Volume and Hydrocarbon Chain Length on the Detachment Force in the Sulphur/Hydrocarbon Drop/Sulphur System • *Tomasz Bialopiotrowicz and Bronislaw Janczuk* 415
An Analysis of the Elution Curve in Preparative Chromatography with Moving Feed Ports • *Katsuyuki Kubota and Shinya Hayashi* 420
Modelling a Uranium Ore Bioleaching Process • *Daniel C. H. Chien, Peter L. Douglas, Dennis H. Herman and Andrew Marchbank* 427
Reactive Crystallization of Calcium Carbonate by Gas–Liquid and Liquid–Liquid Reactions • *Yasushi Kotaki and Hideki Tsuge* 435
Preparation of Hemolysate-filled Hexamethylene Sebacamide Microcapsules with Controlled Diameter • *B. Poncelet De Smet, D. Poncelet and R. J. Neufeld* . . . 443
Catalyst Modification and Process Design Consideration for the Oxidation of Low Concentrations of Hydrogen Sulfide in Natural Gas • *A. I. Chowdhury and Eric L. Tollefson* 449
Reaction of Thiophene on Co-Mo/$A1_2O_3$ Catalysts of Various Loading at Low Hydrogen Excess • *I. Manninger, Z. Paal, K. P. Henze and G. de Joung* 455
Liquid Fuels from Canadian Peat by the Waterloo Fast Pyrolysis Process • *J. Piskorz, P. Majerski and D. S. Scott* 465
Implications of Standard States and Ideal Solution in Terms of Raoult's Law • *Ding-Yu Peng* 473
A Three-Parameter Cubic Equation of State for Fluids and Fluid Mixtures • *Fuan-Nan Tsai and Dong-Syau Jan* 479
An Evaluation of Multiple Binary Interaction Parameters in Cubic Equations of State • *M. A. Trebble* 487
A Corresponding States Treatment of Saturated Density, Surface Tension and Capillary Constant of Cryogenic Liquids and Refrigerants • *K. Srinivasan* 493
Phase Equilibria Predictions for the CO_2-H_2O-NaCl-Bitumen System • *John A. Nighswander Nicolas Kalogerakis and Anil K. Mehrotra* 498

Notes

Testing of a Spherical Dual-tipped Optical Fiber Probe for Local Measurements of Void Fraction and Gas Velocity in Two-Phase Flows • *S. F. Moujaes* 504
Absorption of CO_2 in Some Hybrid Solvents • *K. Yogish* 511
Slurry Filtrability of Potash Alum • *A. G. Jones and J. Mydlarz* 513
Catalytic Upgrading of Liquid Hydrocarbons Derived from Coprocessing of Heavy Oil and Coal • *Zacheria Mathew George* 519
Contents Page from Chemical Engineering Research and Design 522
Modelling of Equilibrium Solubility of CO_2 and H_2S in Aqueous Diglycolamine (DGA) Solutions • *W. Hu and A. Chakma* 523

Book Review 526

Letter to Editor 527

August 1990

Articles

Unified Entry Length for Newtonian and Power-Law Fluids in Laminar Pipe Flow • *Anil K. Mehrotra and Gregory S. Patience* 529
Study of a Downward Gas Jet in a Two-Dimensional Fluidized Bed • *Z. Shen, C. L. Briens, M. Kwauk and M. A. Bergougnou* 534
An Impinging-Streams Reactor with Two Pairs of Tangential Air Feeds • *Tami Bar and Abraham Tamir* . . 541
Flow Regimes, Hold-up and Pressure Drop for Two Phase Flow in Helical Coils • *A. K. Saxena, A. Schumpe, K. D. P. Nigam and W. D. Deckwer* 553
Dispersed Phase Holdup and Bubble Size Distributions in Gas–Liquid Cocurrent Upflow and Countercurrent Flow in Reciprocating Plate Column • *A. Sundaresan and Y. B. G. Varma* 560
Drop Size Distribution in a Graesser Contactor • *A. A. Al-Hemiri and A. Kareem* 569

Laminar Mixed Convection in the Thermal Entrance Region of Horizontal Rectangular Channels with Uniform Heat Input Axially and Uniform Wall Temperature Circumferentially • *Fu-Chu Chou* 577
Influence of Particle Size and Particle/Fluid Combination on Particulate Fouling in Heat Exchangers • *R. Blöchl and H. Müller-Steinhagen* 585
Absorption of CO_2 by Aqueous Diethanolamine (DEA) Solutions in a High Shear Jet Absorber • *A. Chakma, E. Chornet, R. P. Overend and W. H. Dawson* 592
Absorption Accompanied by a Zero-Order Reaction • *J. Landau* 599
Removal of Fine Particles from Aqueous Medium by Flotation: Sodium Dodecylbenzenesulfonate-Barium Sulfate System • *Katsuyuki Kubota, Toshihiro Harima and Shinya Hayashi* 608
Analysis of Particle Trajectories of Small Particles in Flotation When the Particles and Bubbles are Both Charged • *Kenji Okada, Yasuharu Akagi, Masahiko Kogure and Naoya Yoshioka* 614
Formation of Fine Magnetite Particles by Oxidation of Aqueous Suspensions of Ferrous Hydroxide • *E. Sada, H. Kumazawa and H.-M. Cho* 622
Dilute Acid Hydrolysis of Lignocellulosics. An application to medium consistency suspensions of hardwoods using a plug flow reactor • *N. Abatzoglou, P. G. Koeberle, E. Chornet, R. P. Overend and E. G. Koukic* 627
Taking Advantage of Available Cubic Equations of State • *Yoshinori Adachi, Hidezumi Sugie and Benjamin C.-Y. Lu* 639
A Study of Liquid Molar Volumes for Some Pure Halogenated Hydrocarbons and Their Binary Mixtures • *Krister H. U. Ström* 645
Solubility of Propylene Gas in Octane and Various Polar Solvents • *W. Hayduk and C.-F. Wong* 653
A Correlation for Predicting Diffusion Coefficients in Alkanes • *C. Erkey, J. B. Rodden and A. Akgerman* . 661
Synthesis of Model-Based Controllers for an Autothermal Reactor • *Richard W. Chylla, Jr., and Ali Cinar* 666
New Measures for Robustness in Linear Multivariable Feedback Systems • *Imad M. Alatiqi* 680
Managing the Water Chemistry of a CANDU Reactor With an Expert System • *S. Lamirande and P. R. Roberge* 685

Notes

An Improved Light Attenuation Technique for Measuring Large Interfacial Areas • *V. K. Kasireddy and A. M. Al Taweel* 690
Contents Page from Chemical Engineering Research and Design 693
Reactor Design from Batch Data by a Direct Graphical Method • *Luís S. Lobo* 694
Calculation of Infinite Dilution Activity Coefficients by the NRTL and UNIQUAC Models • *Y. Demirel* 697
Deactivation of ICI Low Temperature Methanol Catalyst in an Industrial Reactor • *K. A. Islam and W. B. Earl* 702

October 1990

Review Paper

Sparged Loop Reactors • *J. B. Joshi, V. V. Ranade, S. D. Gharat and S. S. Lele* 705

Articles

Performance of a Tubular Elastic Sparger • *M. E. Weber, E. Loiselle, J. -M. Charrier* 742
The Yield Stress of Fibre Suspensions • *C. P. J. Bennington, R. J. Kerekes and J. R. Grace* 748
Fundamental Investigation of Plug Conveying of Cohesionless Particles in a Vertical Pipe (Pressure drop and friction of a stationary plug) • *Y. Tsuji and R. Asano* 758
Experimental Study of Sawdust and Coal Particle Mixing in Sand or Catalyst Fluidized Beds • *M. Hemati, K. Spieker, C. Laguérie, R. Alvarez and F.A. Riera* . . . 768
Mass Flow Rate Prediction of a Thermosiphon Solar Air-Heater • *A. Tamimi* 773
Flow Transition for Natural Convective Heat Transfer in a Porous Medium Saturated with Water Near 4°C • *M. R. Islam, A. Chakma and K. Nandakumar* 777
Modélisation et simulation du séchage en continu des couches minces par rayonnement infrarouge • *Benoit Cote, Arthur D. Broadbent and Normand Therien* 786
A Simple Model for a Non-Isothermal Adsorption Column • *Douglas M. Ruthven and J. Carlos Rojo* 795
A Simplified Approach to the Operation of a Batch Crystallizer • *S. Rohani and J. R. Bourne* 799
Selective Formation of 2-Methyl-2-Butene and 2-Methyl-1-Butene: Operating Conditions and Kinetic Analysis • *G. R. Chiesa, C. F. Perez, O. A. Orio and D. Ardissone* 807
Gasification Kinetics of Oil Sands Coke • *Q. T. Nguyen and A. P. Watkinson* 814
Combustion Characteristics of a Two-Stage Swirl-Flow Fluidized Bed Combustor • *J. K. Lee, C. G. Hu, Y. S. Shin and H. S. Chun* 824
Epoxidation of Oleic Acid with Oxygen in the Presence of Benzaldehyde Using Heterogenized Homogeneous Co-type Ion-exchange Membrane as Catalyst • *Ming-Chao Kuo and Tse-Chuan Chou* 831
Development of Mixing Rules for Predicting the Viscosity of Bitumen and Its Fractions Blended with Toluene • *Anil K. Mehrotra* 839
Correlations for Prediction of Molecular Diffusivities in Liquids at Infinite Dilution • *C. F. Wong and W. Hayduk* 849
Analysis of the Lumped and Distributed Optimal Temperature Trajectories for Packed Bed Reactors with Concentration Dependent Catalyst Deactivation • *Juan R. Gonzalez-Velasco, Miguel A. Gutierrez-Ortiz, Jose I. Gutierrez-Ortiz and Jose A. Gonzales-Marcos* 860
Dynamic Behavior of Mixer-Settlers • *Abu Bakr Salem and Mohamad A. Sheirah* 867

Note

The Mixing Cells Model Applied to a Fixed Bed Dryer • *Vitor A. F. Costa and A. Rui A. Figueiredo* 876
Contents Page from Chemical Engineering Research and Design 880

December 1990

Articles

Structure des Écoulements dans une Cuve à Fond Bombé Agitée par une Turbine de Rushton • *F. Magni, J. Costes, J. Bertrand et J. P. Couderc* 881
Gas Entrainment Rate and Flow Pattern of Vertical Plunging Liquid Jets • *Daisuke Kusabiraki, Hidefumi Niki, Kazuaki Yamagiwa and Akira Ohkawa* 893
Investigation of Interfacial Area and Void Fraction in Upward, Cocurrent Gas–Liquid Flow • *J. M. DeJesus and M. Kawaji* 904
Characterization of Hydrodynamic Parameters in a Multistage Column Contactor • *C. Tsouris, R. Ferreira and L. L. Tavlarides* 913
Factors Affecting the Decay of Batch Liquid–Liquid Dispersions • *S. A. K. Jeelani, A. Pandit and S. Hartland* 924
Segregation in a Stirred Fluidized Bed • *Z. Zhang and J. M. Beeckmans* 932

Solving Dynamic Equations for the Collection and Evaporation of an Aerosol • *H. J. Viljoen, D. Eyre and C. J. Wright* 938
A Heat Transfer Relation for Swirl Flow in a Vortex Tube • *Sui Lin, Jirui Chen, and Georgios H. Vatistas* 944
Performance of Thermal Energy Storage Unit Using $CaCl_2$-NH_3 System Mixed with Ti • *Hideki Yamamoto, Yuuki Sakamoto, Seiji Sanga and Junji Tokunaga* 948
Interfacial Area and Mass Transfer in Gas–Liquid Cocurrent Upflow and Countercurrent Flow in Reciprocating Plate Column • *A. Sundaresan and Y. B. G. Varma* 952
Oil Recovery from Oil in Water Emulsions Using a Flotation Column • *Rajinder Pal and Jacob Masliyah* 959
Forced Oscillations of Concentration in Transport Reactors • *C. Prashant and M. Chidambaram* 968
A Kinetic Investigation of Styrene/Butyl Acrylate Copolymerization • *Mark A. Dubé, Alexander Penlidis and Kenneth F. O'Driscoll* 974
A Kinetic Study of Pyrolysis in Pitch Impregnated Electrodes • *D. Kocaefe, A. Charette, J. Ferland, P. Couderc, J. L. Saint-Romain* 988
The Electrochemical Oxidation of Aqueous Phenol at a Glassy Carbon Electrode • *M. Gattrell and D. W. Kirk* 997
Electrosynthesis of Sodium Dithionite in a Trickle-bed Reactor • *Colin Oloman, Ben Lee and Wayne Leyten* 1004
Devolatilization and Combustion of Large Coal Particles in a Fluidized Bed • *J. Q. Zhang, H. A. Becker and R. K. Code* 1010
Traitement et Valorisation des Eaux Usées Agro-Alimentaires: Faisabilité du Procédé Aérobie Thermophile pour un Effluent d'Abattoir • *D. Couillard et S. Gariépy* 1018
Henry's Law Constants and Thermodynamic Properties of Gases and Vapours in Bitumens • *Yuming Xu and Loren G. Hepler* 1024
A Generalized Correlation for the Prediction of Phase Behaviour in Supercritical Systems • *M. A. Trebble and P. M. Sigmund* 1033
Estimation of Parameters in Monte Carlo Modelling • *T. A. Duever and P. M. Reilly* 1040

Notes

Liquid Circulation Characteristics in Jet Loop Reactors • *D. K. Jain, A. N. Patwari, M. Bhagawantha Rao and A. A. Khan* 1047
Backmixing of Liquid in Horizontal Multiple-Impeller Vessels • *T. Fukuda, K. Idogawa, M. Akiyoshi and K. Ando* 1052
Heat Transfer Coefficients in Finned-Coil Stirred-Tank Systems • *Fatma Kizilçeç, Z. İlsen Önsan and Fahir Borak* 1057
A New Approach Using Canonical Correlation Combined With Advanced Analytical Techniques to Simulate a Chemical Process • *T. Chakravarty, M. Rashid Khan and H. L. C. Meuzelaar* 1061
Generica Model Control – A Case Study Revisited • *T. J. Harris and P. J. McLellan* 1066

Table of Contents 1990 1071

Index of Authors 1075

Keyword Index 1080

Reviewers 1084